


# SKILL<sup>®</sup>

Surgical Instruments

## ARTHROSCOPY PUNCHES





## **SKILL® The World's Best Surgical Instruments**

All **SKILL®** Instruments are manufactured on a three-pillar principle, namely raw material quality, skilled craftsmanship as well as precise and validated heat treatment and tempering.

Our goal is achieved by using German Forgings and German Steel for the production of our **SKILL®** Instruments. Using only German Craftsmanship, engineering and know-how throughout the manufacturing process along with the validated heat treatment is a necessity in the production of our **SKILL®** Instruments.

**SKILL®** Instruments are manufactured in Germany according to the EU Directive 93/42/EWG, as well as the following ISO Standards;

ISO: 9001  
ISO:13458  
ISO: 7153-1

No compromise is made on the quality of a **SKILL®** Surgical Instrument.

The **SKILL®** short chain of supply allows clients to purchase the highest quality of Instrument at the most competitive pricing.

**SKILL®** Instruments offer the Surgeon a heightened sense of Instrument control allowing the Surgeon to greatly reduce the trauma and risk associated with Surgery.

***OPERATE WITH SKILL®, OPERATE WITH US.***

**SKILL®** Instruments carry a Lifetime warranty which covers any material defect or faulty manufacturing.

**SKILL®** Instruments will be repaired or replaced free of charge without compromise to the product in the event of a valid claim.

**SKILL®** Instruments are to be returned to the authorised distributor for maintenance, any work carried out by an authorised person will void the warranty.

No part of the Catalogue may be copied, forwarded or distributed without the express written consent given by the Manufacturer or its Distributor.

*Operate with* **SKILL®**  
Surgical Instruments

# Index


## Arthroscopy Punches

|                                                                |           |
|----------------------------------------------------------------|-----------|
| SKILLCUT Arthroscopy Punches                                   | 2-5       |
| SKILLCUT Arthroscopy Grasping Forceps                          | 6-7       |
| SKILLCUT Arthroscopy Punches and Grasping Forceps              | 8         |
| SKILLCUT Arthroscopy Punches - Handle and Shape Selection      | 9         |
| SKILLCUT Arthroscopy Punches for Knee Joints                   | 10        |
| SKILLCUT Rotary Basket Punch                                   | 11        |
| SKILLCUT Hook Scissors                                         | 11        |
| SKILLCUT Meniscal Hook Punch                                   | 12        |
| SKILLCUT Grasping Forceps Alligator                            | 13        |
| SKILLCUT Back Biter                                            | 13        |
| SKILLCUT Arthroscopy Punches for Knee Joints                   | 14-18     |
| SKILLCUT Micro Rongeur JR Spaniel                              | 19        |
| SKILLCUT Arthroscopy Instruments for Shoulder Joints           | 20-21     |
| SKILLCUT Arthroscopy Instruments for Hip Joints                | 22        |
| <b>SKILLCUT Instruments for the Shoulder</b>                   | <b>24</b> |
| SKILLCUT Classic Handle Instruments                            | 25        |
| SKILLCUT Side-Lock Handle Instruments                          | 25        |
| SKILLCUT Axial Handle Instruments                              | 25        |
| SKILLCUT Axial Handle w/o ratchet Instruments                  | 25        |
| SKILLCUT Shoulder-Instruments, Suture Hook                     | 26        |
| SKILLCUT Shoulder-Instruments, Suture Hook                     | 27-28     |
| SKILLCUT Shoulder-Instruments, Suture Grasper                  | 29        |
| SKILLCUT Shoulder-Instruments, Suture Grasper, Grasping Punch  | 30        |
| SKILLCUT Shoulder-Instruments, Suture Hook                     | 31        |
| SKILLCUT Shoulder-Instruments, Suture Hook                     | 32-34     |
| SKILLCUT Suture Passer, Nitinol Needle                         | 35        |
| <b>SKILLCUT Instruments for the Hip</b>                        | <b>36</b> |
| SKILLCUT Classic Handle Instruments                            | 37        |
| SKILLCUT Side-Lock Handle Instruments                          | 37        |
| SKILLCUT Axial Handle Instruments                              | 37        |
| SKILLCUT Axial Handle w/o ratchet Instruments                  | 37        |
| SKILLCUT Hip Instruments, Punches                              | 38        |
| SKILLCUT Hip-Instruments, Punch, Rongeurs                      | 39        |
| SKILLCUT Hip-Instruments, Grasping Forceps                     | 40        |
| <b>SKILLCUT Hip-Instruments, Suture-Instruments</b>            | <b>41</b> |
| SKILLCUT Hip-Instruments, One-Piece Instruments                | 42-43     |
| SKILLCUT One-Piece Instruments                                 | 44        |
| SKILLCUT Instruments, One-Piece Instruments                    | 45-46     |
| SKILLCUT Hand Instruments                                      | 47-48     |
| SKILLCUT Arthroscopy Container for 10 Instruments - FF-9800-00 | 49        |
| SKILLCUT Arthroscopy Container for 12 Instruments - FF-9800-01 | 50        |
| SKILLCUT Arthroscopy Container for 12 Instruments - FF-9800-01 | 50        |
| SKILLCUT Arthroscopy Shaft Replacements                        | 51-55     |



### SKILLCUT Arthroscopy Punches

125 mm



| Shaft                                                                             | Straight                                                                          | 30° Right                                                                         | 30° Left                                                                          | 45° Right                                                                         | 45° Left                                                                          | 7° Up                                                                               | 7° Down                                                                             | 15° Up                                                                              | 15° Down                                                                            |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|  |  |  |  |  |  |  |  |  |  |
| Ø 2.7 mm                                                                          | EG-210-27                                                                         | EG-211-27                                                                         | EG-212-27                                                                         | EG-213-27                                                                         | EG-214-27                                                                         | EG-215-27                                                                           | EG-216-27                                                                           | EG-217-27                                                                           | EG-218-27                                                                           |
| Ø 3.5 mm                                                                          | EG-200-35                                                                         | EG-201-35                                                                         | EG-202-35                                                                         | EG-203-35                                                                         | EG-204-35                                                                         | EG-205-35                                                                           | EG-206-35                                                                           | EG-207-35                                                                           | EG-208-35                                                                           |

#### Hook Scissors

| Shaft                                                                               | Straight                                                                            | 30° Right                                                                           | 30° Left                                                                            | 45° Right                                                                           | 45° Left                                                                            | 7° Up                                                                                 | 7° Down                                                                               | 15° Up                                                                                | 15° Down                                                                              |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  |  |  |  |  |  |  |  |  |  |
| Ø 2.7 mm                                                                            | EG-230-27                                                                           | EG-231-27                                                                           | EG-232-27                                                                           | EG-233-27                                                                           | EG-234-27                                                                           | EG-235-27                                                                             | EG-236-27                                                                             | EG-237-27                                                                             | EG-238-27                                                                             |
| Ø 3.5 mm                                                                            | EG-220-35                                                                           | EG-221-35                                                                           | EG-222-35                                                                           | EG-223-35                                                                           | EG-224-35                                                                           | EG-225-35                                                                             | EG-226-35                                                                             | EG-227-35                                                                             | EG-228-35                                                                             |

#### Hook Punch with Scoop

H = 1.5 mm  
B (Ø 2.7 mm) = 1.2 mm  
B (Ø 3.5 mm) = 1.6 mm

| Shaft                                                                               | Straight                                                                            | 30° Right                                                                           | 30° Left                                                                            | 45° Right                                                                           | 45° Left                                                                            | 7° Up                                                                                 | 7° Down                                                                               | 15° Up                                                                                | 15° Down                                                                              |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  |  |  |  |  |  |  |  |  |  |
| Ø 2.7 mm                                                                            | EG-250-27                                                                           | EG-251-27                                                                           | EG-252-27                                                                           | EG-253-27                                                                           | EG-254-27                                                                           | EG-255-27                                                                             | EG-256-27                                                                             | EG-257-27                                                                             | EG-258-27                                                                             |
| Ø 3.5 mm                                                                            | EG-240-35                                                                           | EG-241-35                                                                           | EG-242-35                                                                           | EG-243-35                                                                           | EG-244-35                                                                           | EG-245-35                                                                             | EG-246-35                                                                             | EG-247-35                                                                             | EG-248-35                                                                             |

#### Hook Punch without Scoop


H = 1.5 mm  
B (Ø 2.7 mm) = 1.2 mm  
B (Ø 3.5 mm) = 1.6 mm

| Shaft                                                                               | Straight                                                                            | 30° Right                                                                           | 30° Left                                                                            | 45° Right                                                                           | 45° Left                                                                            | 7° Up                                                                                 | 7° Down                                                                               | 15° Up                                                                                | 15° Down                                                                              |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  |  |  |  |  |  |  |  |  |  |
| Ø 2.7 mm                                                                            | EG-190-27                                                                           | EG-191-27                                                                           | EG-192-27                                                                           | EG-193-27                                                                           | EG-194-27                                                                           | EG-195-27                                                                             | EG-196-27                                                                             | EG-197-27                                                                             | EG-198-27                                                                             |
| Ø 3.5 mm                                                                            | EG-180-35                                                                           | EG-181-35                                                                           | EG-182-35                                                                           | EG-183-35                                                                           | EG-184-35                                                                           | EG-185-35                                                                             | EG-186-35                                                                             | EG-187-35                                                                             | EG-188-35                                                                             |

#### Hook Punch

H = 1.5 mm  
B (Ø 2.7 mm) = 1.2 mm  
B (Ø 3.5 mm) = 1.6 mm

# SKILLCUT Arthroscopy Punches



| Shaft                                                                             | Straight                                                                          | 30° Right                                                                         | 30° Left                                                                          | 45° Right                                                                         | 45° Left                                                                          | 7° Up                                                                             | 7° Down                                                                           | 15° Up                                                                              | 15° Down                                                                            |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|  |  |  |  |  |  |  |  |  |  |
| Ø 2.7 mm                                                                          | <b>EG-108-01</b>                                                                  | <b>EG-108-02</b>                                                                  | <b>EG-108-03</b>                                                                  | <b>EG-108-05</b>                                                                  | <b>EG-108-06</b>                                                                  | <b>EG-108-07</b>                                                                  | <b>EG-108-08</b>                                                                  | <b>EG-108-04</b>                                                                    | <b>EG-108-09</b>                                                                    |
| Ø 3.5 mm                                                                          | <b>EG-280-35</b>                                                                  | <b>EG-281-35</b>                                                                  | <b>EG-282-35</b>                                                                  | <b>EG-283-35</b>                                                                  | <b>EG-284-35</b>                                                                  | <b>EG-285-35</b>                                                                  | <b>EG-286-35</b>                                                                  | <b>EG-287-35</b>                                                                    | <b>EG-288-35</b>                                                                    |

Wide Jaw Punch

H = 1.5 mm  
B = 5.0 mm

| Shaft                                                                               | Straight                                                                            | 30° Right                                                                           | 30° Left                                                                            | 45° Right                                                                           | 45° Left                                                                            | 7° Up                                                                               | 7° Down                                                                             | 15° Up                                                                                | 15° Down                                                                              |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  |  |  |  |  |  |  |  |  |  |
| Ø 2.7 mm                                                                            | <b>EG-108-10</b>                                                                    | <b>EG-108-11</b>                                                                    | <b>EG-108-12</b>                                                                    | <b>EG-108-13</b>                                                                    | <b>EG-108-14</b>                                                                    | <b>EG-108-15</b>                                                                    | <b>EG-108-16</b>                                                                    | <b>EG-108-17</b>                                                                      | <b>EG-108-18</b>                                                                      |
| Ø 3.5 mm                                                                            | <b>EG-290-35</b>                                                                    | <b>EG-291-35</b>                                                                    | <b>EG-292-35</b>                                                                    | <b>EG-293-35</b>                                                                    | <b>EG-294-35</b>                                                                    | <b>EG-295-35</b>                                                                    | <b>EG-296-35</b>                                                                    | <b>EG-297-35</b>                                                                      | <b>EG-298-35</b>                                                                      |

Wide Jaw Punch

H = 1.5 mm  
B = 3.5 mm

| Shaft                                                                               | Straight                                                                            | 30° Right                                                                           | 30° Left                                                                            | 45° Right                                                                           | 45° Left                                                                            | 7° Up                                                                               | 7° Down                                                                             | 15° Up                                                                                | 15° Down                                                                              |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  |  |  |  |  |  |  |  |  |  |
| Ø 2.7 mm                                                                            | <b>EG-108-19</b>                                                                    | <b>EG-108-20</b>                                                                    | <b>EG-108-21</b>                                                                    | <b>EG-108-22</b>                                                                    | <b>EG-108-23</b>                                                                    | <b>EG-108-24</b>                                                                    | <b>EG-108-25</b>                                                                    | <b>EG-108-26</b>                                                                      | <b>EG-108-27</b>                                                                      |
| Ø 3.5 mm                                                                            | <b>EG-300-35</b>                                                                    | <b>EG-301-35</b>                                                                    | <b>EG-302-35</b>                                                                    | <b>EG-303-35</b>                                                                    | <b>EG-304-35</b>                                                                    | <b>EG-305-35</b>                                                                    | <b>EG-306-35</b>                                                                    | <b>EG-307-35</b>                                                                      | <b>EG-308-35</b>                                                                      |

Wide Jaw Punch

H = 1.5 mm  
B = 2.5 mm

| Shaft                                                                               | Straight                                                                            | Straight                                                                            | Straight                                                                              |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  |  |  |  |
| Ø 2.7 mm                                                                            | H = 1.5 mm<br>B = 5 mm<br><b>EG-108-28</b>                                          | H = 1.5 mm<br>B = 3.5 mm<br><b>EG-108-29</b>                                        | H = 1.5 mm<br>B = 2.5 mm<br><b>EG-108-30</b>                                          |
| Ø 3.5 mm                                                                            | <b>EG-330-35</b>                                                                    | <b>EG-331-35</b>                                                                    | <b>EG-332-35</b>                                                                      |

Wide Jaw Punch




# SKILLCUT Arthroscopy Punches

125 mm



H = Tip Height



B = Bite Width



Shaft

Straight, without Scoop



Ø 2.7 mm  
Ø 3.5 mm

**EG-266-27**  
**EG-260-35**

Shaft

45° Right



**EG-109-10**  
**EG-326-35**

45° Left



**EG-109-11**  
**EG-327-35**

90° Right



**EG-109-12**  
**EG-328-35**

90° Left



**EG-109-13**  
**EG-329-35**

Punch with Scoop

H = 2.0 mm  
B = 1.6 mm

Shaft

45° Right



**EG-110-15**  
**EG-261-35**

45° Left



**EG-110-16**  
**EG-262-35**

90° Right



**EG-110-17**  
**EG-263-35**

90° Left




**EG-110-18**  
**EG-264-35**

Punch without Scoop

H = 2.0 mm  
B = 1.6 mm

### SKILLCUT Arthroscopy Grasping Forceps



With Ratchet

Shaft

Straight

Straight

Straight, 1x2 Teeth

Straight, 1x2 Teeth



Ø 2.7 mm

**EG-277-25**

**EG-277-27**

**EG-277-28**

**EG-277-29**

Ø 3.5 mm

**EG-275-35**


**EG-271-35**

**EG-273-35**

**EG-279-35**

Grasping Forceps with Ratchet

**B = 3.2 mm**



With Ratchet

Shaft

Straight

Straight

Straight, 1x2 Teeth

Straight, 1x2 Teeth



Ø 2.7 mm

**EG-276-26**

**EG-276-27**

**EG-276-28**

**EG-276-29**

Ø 3.5 mm

**EG-274-35**

**EG-270-35**

**EG-272-35**


**EG-278-35**

Grasping Forceps without Ratchet

**B = 3.2 mm**



## SKILLCUT Arthroscopy Grasping Forceps



Shaft

Straight, Right Backward Cutting

Straight, Left Backward Cutting

Ø 2.7 mm

Ø 3.5 mm



**EG-322-35**


**EG-324-35**



**EG-323-35**

**EG-325-35**

Retrograde Punch, 3.8 x 2.5 mm



Grasping Forceps,  
1x2 Teeth, Straight


**EG-450-01** 19.5 cm  $7\frac{3}{4}$ "

Grasping Forceps,  
1x2 Teeth, Curved

**EG-450-02** 19.5 cm  $7\frac{3}{4}$ "

Grasping Forceps,  
1x2 Teeth, Right Curved


**EG-450-03** 19.5 cm  $7\frac{3}{4}$ "



Grasping Forceps, 1x2 Teeth,  
Straight with Locking Screw

**EG-450-17** 26.0 cm  $10\frac{1}{4}$ "

### SKILLCUT Arthroscopy Punches and Grasping Forceps



- Our SKILLCUT arthroscopy punches are based on a long-standing mechanical principle of pin less guidance in the axis of movement of the jaw. Main benefit for the user is the working capability in very narrow areas of the joint.
- The precision of the CNC milled jaw parts guarantees a long life, highest possible cutting ability and absolutely protection from corrosion.
- The ergonomically designed handle allows a non-tiring operating across multiple surgical interventions.
- The open shaft accommodates a residue-free treatment and therefore totally safeness in the asepis.
- A professional consultation and an excellent after sales service guarantee you highest satisfaction with this product line.

## SKILLCUT Arthroscopy Punches - Handle and Shape Selection



**CLASSIC**  
For Scissors and  
Basket Punches



**LOCK**  
For Grasping  
Forceps



**ROTATABLE**  
For Selected Scissors  
and Basket Punches



**ERGO**  
For Selected Scissors  
and Basket Punches



**CIGAR**  
For Selected Scissors  
and Basket Punches



**B** = Bite Width



**W** = Tip Width



**H** = Tip Height



**STRAIGHT**

The primary style for  
direct approach.



**Up Biter**

25° Upwards Angled  
Tip for increased  
access Tip to the  
posterior meniscus.



**Up Swept**


Angled Shaft follows  
the contour of the  
condyle and keeps  
the cutting parallel to  
the tibial plateau.



**LEFT | RIGHT**

Curved to reach the  
medial and lateral  
meniscus.

# SKILLCUT Arthroscopy Punches for Knee Joints




| Shape                           |  | Tip Height | Bite Width | Tip Width | CLASSIC   | ERGO        |
|---------------------------------|--|------------|------------|-----------|-----------|-------------|
|                                 |  | H          | B          | W         |           |             |
| Straight                        |  | 1.93 mm    | 2.50 mm    | 4.15 mm   | EG-110-03 | EG-110-03 E |
| Straight                        |  | 1.93 mm    | 3.40 mm    | 5.00 mm   | EG-110-01 | EG-110-01 E |
| Straight                        |  | 1.93 mm    | 4.50 mm    | 6.15 mm   | EG-110-04 | EG-110-04 E |
| Straight, Left                  |  | 1.93 mm    | 3.40 mm    | 5.00 mm   | EG-111-01 | EG-111-01 E |
| Straight, Right                 |  | 1.93 mm    | 3.40 mm    | 5.00 mm   | EG-111-02 | EG-111-02 E |
| Straight, Up Swept              |  | 1.93 mm    | 3.40 mm    | 5.00 mm   | EG-111-03 | EG-111-03 E |
| DUCKBILL Basket Punch, Straight |  |            |            |           |           |             |

| Shape                           |  | Tip Height | Bite Width | Tip Width | CLASSIC   | ERGO        |
|---------------------------------|--|------------|------------|-----------|-----------|-------------|
|                                 |  | H          | B          | W         |           |             |
| Straight                        |  | 2.52 mm    | 2.50 mm    | 4.15 mm   | EG-100-03 | EG-100-03 E |
| Straight                        |  | 2.52 mm    | 3.40 mm    | 5.05 mm   | EG-100-01 | EG-100-01 E |
| Straight                        |  | 2.52 mm    | 4.50 mm    | 6.15 mm   | EG-100-04 | EG-100-04 E |
| Straight, Left                  |  | 2.52 mm    | 3.40 mm    | 5.05 mm   | EG-101-04 | EG-101-04 E |
| Straight, Right                 |  | 2.52 mm    | 3.40 mm    | 5.05 mm   | EG-101-05 | EG-101-05 E |
| Straight, Up Swept              |  | 2.52 mm    | 3.40 mm    | 5.05 mm   | EG-101-03 | EG-101-03 E |
| DUCKBILL Basket Punch, Straight |  |            |            |           |           |             |

| Shape                       |  | Tip Height | Bite Width | Tip Width | CLASSIC   | ERGO        |
|-----------------------------|--|------------|------------|-----------|-----------|-------------|
|                             |  | H          | B          | W         |           |             |
| Straight                    |  | 1.65 mm    | 4.39 mm    | 6.57 mm   | EG-115-01 | EG-115-01 E |
| Straight, Left              |  | 1.65 mm    | 4.39 mm    | 6.57 mm   | EG-115-03 | EG-115-03 E |
| Straight, Right             |  | 1.65 mm    | 4.39 mm    | 6.57 mm   | EG-115-05 | EG-115-05 E |
| Straight, Up Swept          |  | 1.65 mm    | 4.39 mm    | 6.57 mm   | EG-115-07 | EG-115-07 E |
| Basket Punch, Oval Straight |  |            |            |           |           |             |



SKILLCUT Rotary Basket Punch




This punch offers an effective angle for the anterior meniscus. The tip allows successive bites, ideal for balancing the meniscal rim.



| Description                                   |  CUT  | Tip Profile | Bite Width | Tip Width | Rotatable Handle | Rotatable Axial Handle |
|-----------------------------------------------|----------------------------------------------------------------------------------------|-------------|------------|-----------|------------------|------------------------|
| 2.2 mm, Shaft Straight, Jaw 90°, Angled Left  |  CUT  | 1.60 mm     | 2.20 mm    | 4.10 mm   | EG-113-04        | EG-113-05              |
| 2.2 mm, Shaft Straight, Jaw 90°, Angled Right |  CUT  | 1.60 mm     | 2.20 mm    | 4.10 mm   | EG-113-06        | EG-113-07              |
| 3.4 mm, Shaft Straight, Jaw 90°, Angled Left  |  CUT  | 1.60 mm     | 3.40 mm    | 5.30 mm   | EG-113-00        | EG-113-01              |
| 3.4 mm, Shaft Straight, Jaw 90°, Angled Right |  CUT | 1.60 mm     | 3.40 mm    | 5.30 mm   | EG-113-03        | EG-113-02              |

SKILLCUT Hook Scissors




The hook teeth at the tip of the instrument prevent the tissue from slipping and allows a clean cut.



| Description            | Classic Handle | Ergo Handle |
|------------------------|----------------|-------------|
| Shaft Straight         | EG-118-01      | EG-118-02   |
| Shaft 12° Curved Left  | EG-118-03      | EG-118-04   |
| Shaft 12° Curved Right | EG-118-05      | EG-118-01   |

### SKILLCUT Meniscal Hook Punch



The meniscal elevator with the extended lip of the lower jaw assists to slide easily under a tight meniscus.



#### Description

Shaft Straight, Jaw 20°, Angled Left  
Shaft Straight, Jaw 20°, Angled Right



#### Classic Handle


EG-114-10  
EG-114-12



#### Rotatable Axial Handle

EG-114-11  
EG-114-13

### SKILLCUT Meniscal Hook Punch




This punch offers an effective angle for the anterior meniscus. The tip allows successive bites, ideal for balancing the meniscal rim.



#### Description

| Description             |  | Tip Profile | Bite Width | Tip Width | Classic Handle | Rotatable Axial Handle |
|-------------------------|--|-------------|------------|-----------|----------------|------------------------|
| 1.3 mm, Schaft Straight |  | 1.90 mm     | 1.80 mm    | 3.20 mm   | EG-114-14      | EG-114-15              |
| Schaft Straight         |  | 1.83 mm     | 1.80 mm    | 3.32 mm   | EG-114-16      | EG-114-17              |
| Schaft Up Swept         |  | 1.83 mm     | 1.80 mm    | 3.32 mm   | EG-114-18      | EG-114-19              |
| Schaft Curved Left      |  | 1.83 mm     | 1.80 mm    | 3.32 mm   | EG-114-01      | EG-114-03              |
| Schaft Curved Right     |  | 1.83 mm     | 1.80 mm    | 3.32 mm   | EG-114-02      | EG-114-04              |

SKILLCUT Grasping Forceps Alligator



Description

Jaw Wide 3.4 mm, Shaft Straight

Classic Handle

EG-116-00

Slide-Lock Handle


EG-116-01

Jaw Wide 3.4 mm, Shaft Up Swept

EG-116-02

EG-116-03

SKILLCUT Back Biter



Description

Schaft Straight, Middle Cut

Tip Profile

3.40 mm

Bite Width

3.00 mm

Tip Width


5.00 mm

Classic Handle


EG-117-01

Ergo Handle

EG-117-02



# SKILLCUT Arthroscopy Punches for Knee Joints




| Shape                           | Tip Height | Bite Width | Tip Width | CLASSIC   | ERGO        |
|---------------------------------|------------|------------|-----------|-----------|-------------|
|                                 | H          | B          | W         |           |             |
| Up Biter                        | 2.52 mm    | 2.50 mm    | 4.15 mm   | EG-100-05 | EG-100-05 E |
| Up Biter                        | 2.52 mm    | 3.40 mm    | 5.05 mm   | EG-100-02 | EG-100-02 E |
| Up Biter                        | 2.52 mm    | 4.50 mm    | 6.15 mm   | EG-100-06 | EG-100-06 E |
| Up Biter, Left                  | 2.52 mm    | 3.40 mm    | 5.05 mm   | EG-101-01 | EG-101-01 E |
| Up Biter, Right                 | 2.52 mm    | 3.40 mm    | 5.05 mm   | EG-101-02 | EG-101-02 E |
| Up Biter, Up Swept              | 2.52 mm    | 3.40 mm    | 5.05 mm   | EG-101-06 | EG-101-06 E |
| DUCKBILL Basket Punch, Up Biter |            |            |           |           |             |

| Shape                           | Tip Height | Bite Width | Tip Width | CLASSIC   | ERGO        |
|---------------------------------|------------|------------|-----------|-----------|-------------|
|                                 | H          | B          | W         |           |             |
| Up Biter                        | 1.93 mm    | 2.50 mm    | 4.15 mm   | EG-110-05 | EG-110-05 E |
| Up Biter                        | 1.93 mm    | 3.40 mm    | 5.00 mm   | EG-110-02 | EG-110-02 E |
| Up Biter                        | 1.93 mm    | 4.50 mm    | 6.15 mm   | EG-110-06 | EG-110-06 E |
| Up Biter, Left                  | 1.93 mm    | 3.40 mm    | 5.00 mm   | EG-111-04 | EG-111-04 E |
| Up Biter, Right                 | 1.93 mm    | 3.40 mm    | 5.00 mm   | EG-111-05 | EG-111-05 E |
| Up Biter, Up Swept              | 1.93 mm    | 3.40 mm    | 5.00 mm   | EG-111-06 | EG-111-06 E |
| DUCKLING Basket Punch, Up Biter |            |            |           |           |             |

| Shape                        | Tip Height | Bite Width | Tip Width | CLASSIC   | ERGO        |
|------------------------------|------------|------------|-----------|-----------|-------------|
|                              | H          | B          | W         |           |             |
| Up Biter                     | 1.65 mm    | 4.39 mm    | 6.57 mm   | EG-115-02 | EG-115-02 E |
| Up Biter, Left               | 1.65 mm    | 4.39 mm    | 6.57 mm   | EG-115-04 | EG-115-04 E |
| Up Biter, Right              | 1.65 mm    | 4.39 mm    | 6.57 mm   | EG-115-06 | EG-115-06 E |
| Up Biter, Up Swept           | 1.65 mm    | 4.39 mm    | 6.57 mm   | EG-115-08 | EG-115-08 E |
| Basket Punch, Oval, Up Biter |            |            |           |           |             |

## SKILLCUT Arthroscopy Punches for Knee Joints




| Shape                                                                             | Tip Height | Bite Width | Tip Width | CLASSIC                                                                            | ERGO                                                                                |
|-----------------------------------------------------------------------------------|------------|------------|-----------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|  | <b>H</b>   | <b>B</b>   | <b>W</b>  |  |  |
| Straight                                                                          | 1.90 mm    | 1.67 mm    | 2.89 mm   | EG-120-01                                                                          | EG-120-01 E                                                                         |
| Straight, Up Swept                                                                | 1.90 mm    | 1.67 mm    | 2.89 mm   | EG-120-03                                                                          | EG-120-03 E                                                                         |
| 45° Tip, Left                                                                     | 1.50 mm    | 1.67 mm    | 2.89 mm   | EG-120-05                                                                          | EG-120-05 E                                                                         |
| 45° Tip, Right                                                                    | 1.50 mm    | 1.67 mm    | 2.89 mm   | EG-120-07                                                                          | EG-120-07 E                                                                         |
| Basket Punch, Oval, Up Biter                                                      |            |            |           |                                                                                    |                                                                                     |

| Shape                                                                               | Tip Height | Bite Width | Tip Width | CLASSIC                                                                              | ERGO                                                                                  |
|-------------------------------------------------------------------------------------|------------|------------|-----------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  | <b>H</b>   | <b>B</b>   | <b>W</b>  |  |  |
| Up Biter                                                                            | 1.90 mm    | 1.67 mm    | 2.89 mm   | EG-120-02                                                                            | EG-120-02 E                                                                           |
| Up Biter, Left                                                                      | 1.90 mm    | 1.67 mm    | 2.89 mm   | EG-120-04                                                                            | EG-120-04 E                                                                           |
| Up Biter, Right                                                                     | 1.90 mm    | 1.67 mm    | 2.89 mm   | EG-120-06                                                                            | EG-120-06 E                                                                           |
| SLIM Basket Punch, Up Biter                                                         |            |            |           |                                                                                      |                                                                                       |

| Shape                                                                               | Tip Height | Bite Width | Tip Width | CLASSIC                                                                              | ERGO                                                                                  |
|-------------------------------------------------------------------------------------|------------|------------|-----------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  | <b>H</b>   | <b>B</b>   | <b>W</b>  |  |  |
| Straight                                                                            | 1.83 mm    | 1.67 mm    | 3.32 mm   | EG-122-01                                                                            | EG-122-01 E                                                                           |
| Straight Left                                                                       | 1.83 mm    | 1.67 mm    | 3.32 mm   | EG-122-02                                                                            | EG-122-02 E                                                                           |
| Straight Right                                                                      | 1.83 mm    | 1.67 mm    | 3.32 mm   | EG-122-03                                                                            | EG-122-03 E                                                                           |
| Straight, Up Swept                                                                  | 1.83 mm    | 1.67 mm    | 3.32 mm   | EG-122-04                                                                            | EG-122-04 E                                                                           |
| Basket Punch, Blunt Nose, Straight                                                  |            |            |           |                                                                                      |                                                                                       |



# SKILLCUT Arthroscopy Punches for Knee Joints




| Shape                     |  | Tip Height | Scoop  | Bite Width | Tip Width | CLASSIC   | ERGO        |
|---------------------------|--|------------|--------|------------|-----------|-----------|-------------|
|                           |  | H          |        | B          | W         |           |             |
| Straight                  |  | 2.28 mm    | 1.0 mm | 1.59 mm    | 3.25 mm   | EG-130-01 | EG-130-01 E |
| Left                      |  | 2.10 mm    | 1.3 mm | 1.59 mm    | 3.27 mm   | EG-133-01 | EG-133-01 E |
| Straight, Right           |  | 2.10 mm    | 1.3 mm | 1.59 mm    | 3.27 mm   | EG-133-02 | EG-133-02 E |
| Up Biter                  |  | 2.10 mm    | 1.3 mm | 1.59 mm    | 3.27 mm   | EG-132-01 | EG-132-01 E |
| Straight, Up Biter, Left  |  | 2.10 mm    | 1.3 mm | 1.59 mm    | 3.27 mm   | EG-133-03 | EG-133-03 E |
| Straight, Up Biter, Right |  | 2.10 mm    | 1.3 mm | 1.59 mm    | 3.27 mm   | EG-133-04 | EG-133-04 E |
| Straight, Up Swept        |  | 2.10 mm    | 1.3 mm | 1.59 mm    | 3.27 mm   | EG-133-05 | EG-133-05 E |
| Down Biter                |  | 2.10 mm    | 1.3 mm | 1.59 mm    | 3.27 mm   | EG-133-06 | EG-133-06 E |
| Basket Punch with Scoop   |  |            |        |            |           |           |             |

| Shape                   |  | Tip Height | Scoop  | Bite Width | Tip Width | CLASSIC   | ERGO        |
|-------------------------|--|------------|--------|------------|-----------|-----------|-------------|
|                         |  | H          |        | B          | W         |           |             |
| Straight                |  | 2.28 mm    | 1.5 mm | 1.59 mm    | 3.88 mm   | EG-134-01 | EG-134-01 E |
| Up Biter                |  | 2.28 mm    | 1.5 mm | 1.59 mm    | 3.88 mm   | EG-135-01 | EG-135-01 E |
| Straight, Up Swept      |  | 2.28 mm    | 1.5 mm | 1.59 mm    | 3.88 mm   | EG-134-02 | EG-134-02 E |
| Straight                |  | 2.28 mm    | 2.7 mm | 1.77 mm    | 3.58 mm   | EG-137-01 | EG-137-01 E |
| Straight                |  | 2.94 mm    | 3.4 mm | 2.03 mm    | 3.76 mm   | EG-136-01 | EG-136-01 E |
| Basket Punch with Scoop |  |            |        |            |           |           |             |

| Shape                                                                               |                                                                                     | Tip Height | Bite Width | Tip Width | CLASSIC                                                                               | ERGO                                                                                  |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|------------|------------|-----------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  |                                                                                     | H          | B          | W         |  |  |
| Straight, Left                                                                      |  | 3.93 mm    | 2.38 mm    | 5.58 mm   | EG-138-01                                                                             | EG-138-01 E                                                                           |
| Straight, Right                                                                     |  | 3.93 mm    | 2.38 mm    | 5.58 mm   | EG-138-02                                                                             | EG-138-02 E                                                                           |
| Basket Punch, Backward Cutting                                                      |                                                                                     |            |            |           |                                                                                       |                                                                                       |

# SKILLCUT Arthroscopy Punches for Knee Joints




| Shape                  | Tip Height | Bite Width | Tip Width | CLASSIC   | ERGO        |
|------------------------|------------|------------|-----------|-----------|-------------|
|                        | <b>H</b>   | <b>B</b>   | <b>W</b>  |           |             |
| Straight               | 2.46 mm    | 2.18 mm    | 4.00 mm   | EG-139-01 | EG-139-01 E |
| Up Biter               | 2.46 mm    | 2.18 mm    | 4.00 mm   | EG-139-02 | EG-139-02 E |
| Straight, Left         | 2.46 mm    | 2.18 mm    | 4.00 mm   | EG-139-03 | EG-139-03 E |
| Straight, Right        | 2.46 mm    | 2.18 mm    | 4.00 mm   | EG-139-04 | EG-139-04 E |
| Straight, Up Swept     | 2.46 mm    | 2.18 mm    | 4.00 mm   | EG-139-05 | EG-139-05 E |
| POSTERIOR Basket Punch |            |            |           |           |             |

| Shape                                                                               |                                                                                     | Tip Height | Scoop | Bite Width | Tip Width | CLASSIC                                                                               | ERGO                                                                                  |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|------------|-------|------------|-----------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  |                                                                                     | <b>H</b>   |       | <b>B</b>   | <b>W</b>  |  |  |
| Straight                                                                            |  | 1.90 mm    |       | 1.60 mm    | 3.20 mm   | EG-142-01                                                                             | EG-142-01 E                                                                           |
| Up Biter                                                                            |  | 1.90 mm    |       | 1.60 mm    | 3.20 mm   | EG-142-02                                                                             | EG-142-02 E                                                                           |
| Meniscal Elevator                                                                   |                                                                                     |            |       |            |           |                                                                                       |                                                                                       |

| Shape           | CLASSIC   | ERGO        | Shape    | CLASSIC   | ERGO        |
|-----------------|-----------|-------------|----------|-----------|-------------|
|                 |           |             |          |           |             |
| Straight        | EG-146-01 | EG-146-01 E | Straight | EG-155-01 | EG-155-01 E |
| Up Biter        | EG-146-02 | EG-146-02 E | Rongeur  |           |             |
| Up Biter, Left  | EG-146-03 | EG-146-03 E |          |           |             |
| Up Biter, Right | EG-146-04 | EG-146-03 4 |          |           |             |
| Scissors Punch  |           |             |          |           |             |

## SKILLCUT Arthroscopy Grasping Forceps for Knee Joints



### Shape



Straight  
Grasping Forceps, 1x2 Teeth

### LOCK



EG-160-01

### Shape



2.7 mm Straight  
Grasping Forceps, Cupped

### LOCK



EG-162-01

### Shape



3.4 mm Straight  
Grasping Forceps, Cupped

### LOCK



EG-162-02

### Shape



2.7 mm Straight  
2.7 mm Up Swept  
Alligator Grasping Forceps

### LOCK



EG-164-01  
EG-164-02

### Shape



2.7 mm Up Biter  
2.7 mm Up Swept  
Alligator Grasping Forceps

### LOCK



EG-165-01  
EG-165-02

### Shape




3.4 mm Straight  
3.4 mm Up Swept  
Alligator Grasping Forceps

### LOCK



EG-166-01  
EG-166-02

SKILLCUT Micro Rongeur JR Spaniel




| Shape           |  | Tip Height | Bite Width | Tip Width | CLASSIC   | ERGO        |
|-----------------|--|------------|------------|-----------|-----------|-------------|
|                 |  | H          | B          | W         |           |             |
| Straight        |  | 2.00 mm    | 1.25 mm    | 2.00 mm   | EG-600-01 | EG-600-01 E |
| Up Biter        |  | 2.00 mm    | 1.25 mm    | 2.00 mm   | EG-600-02 | EG-600-02 E |
| Micro Punch Jr. |  |            |            |           |           |             |

| Shape                |  | Tip Height | Bite Width | Tip Width | CLASSIC   |
|----------------------|--|------------|------------|-----------|-----------|
|                      |  | H          | B          | W         |           |
| Straight             |  | 1.35 mm    | 2.25 mm    | 3.50 mm   | EG-615-01 |
| Straight, Left       |  | 1.35 mm    | 2.25 mm    | 3.50 mm   | EG-615-03 |
| Straight, Right      |  | 1.35 mm    | 2.25 mm    | 3.50 mm   | EG-615-05 |
| Micro Punch Jr. Oval |  |            |            |           |           |

| Shape                        |  | CLASSIC   | Shape             |  | CLASSIC   |
|------------------------------|--|-----------|-------------------|--|-----------|
|                              |  |           |                   |  |           |
| Straight                     |  | EG-622-01 | Straight          |  | EG-655-01 |
| Micro Basket Punch Jr. Blunt |  |           | Micro Rongeur Jr. |  |           |

| Shape                             |  | LOCK      | Shape                            |  | LOCK      |
|-----------------------------------|--|-----------|----------------------------------|--|-----------|
|                                   |  |           |                                  |  |           |
| Straight                          |  | EG-660-01 | Straight                         |  | EG-662-01 |
| Micro Grasping Forceps, 1x2 Teeth |  |           | Micro Alligator Grasping Forceps |  |           |

## SKILLCUT Arthroscopy Instruments for Shoulder Joints



## Shape



Right

Suture Holder, CLEVER-HOOK, Pointed

## CLASSIC



EG-700-01

## Shape



Left

Suture Holder, CLEVER-HOOK, Pointed

## CLASSIC



EG-700-02

## Shape



Right

Left

Suture Holder, SIXER

## CLASSIC



EG-701-01

EG-701-02

## ERGO



EG-701-01 E

EG-701-02 E

## Shape



Straight

45° Right

45° Left

Suture Hook, BIRD-BEAK

## CLASSIC



EG-702-01

EG-702-03

EG-702-05

## ERGO



EG-702-01 E

EG-702-03 E

EG-702-05 E

## Shape



20° Up

40° Up

Suture Hook, BIRD-BEAK

## CLASSIC



EG-703-01

EG-703-02


## ERGO



EG-703-01 E

EG-703-02 E

# SKILLCUT Arthroscopy Instruments for Shoulder Joints



**Shape**



Straight

Suture Retriever, Cross Serrated

**LOCK**



EG-710-01

**Shape**



Straight

Suture Retriever, Serrated

**LOCK**



EG-712-01

**Shape**



15° Up

Suture Retriever, Serrated

**LOCK**



EG-712-02

**Shape**



Right

Left


Suture Retriever, Serrated

**LOCK**




EG-712-03

EG-712-05







## SKILLCUT Arthroscopy Instruments for Hip Joints




| Shape                                                                             |                                                                                    | Tip Height<br>H | Bite Width<br>B | Tip Width<br>W | CLASSIC                                                                             |
|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-----------------|-----------------|----------------|-------------------------------------------------------------------------------------|
|  |                                                                                    |                 |                 |                |  |
| Straight                                                                          |   | 1.93 mm         | 3.20 mm         | 5.00 mm        | EG-810-01                                                                           |
| Up Biter                                                                          |   | 1.93 mm         | 3.20 mm         | 5.00 mm        | EG-810-02                                                                           |
| Straight, Up Swept                                                                |  | 1.93 mm         | 3.20 mm         | 5.00 mm        | EG-811-03                                                                           |
| DUCKLING Basket Punch                                                             |                                                                                    |                 |                 |                |                                                                                     |

| Shape                                                                               |                                                                                     | Tip Height<br>H | Bite Width<br>B | Tip Width<br>W | CLASSIC                                                                               |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-----------------|-----------------|----------------|---------------------------------------------------------------------------------------|
|  |                                                                                     |                 |                 |                |  |
| Straight                                                                            |  | 1.90 mm         | 1.67 mm         | 2.89 mm        | EG-820-01                                                                             |
| Up Biter                                                                            |  | 1.90 mm         | 1.67 mm         | 2.89 mm        | EG-820-02                                                                             |
| 45° Tip, Left                                                                       |  | 1.50 mm         | 1.67 mm         | 2.89 mm        | EG-820-05                                                                             |
| 45° Tip, Right                                                                      |  | 1.50 mm         | 1.67 mm         | 2.89 mm        | EG-820-07                                                                             |
| SLIM Basket Punch                                                                   |                                                                                     |                 |                 |                |                                                                                       |

| Shape                                                                               |                                                                                     | Tip Height<br>H | Bite Width<br>B | Tip Width<br>W | CLASSIC                                                                               |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-----------------|-----------------|----------------|---------------------------------------------------------------------------------------|
|  |                                                                                     |                 |                 |                |  |
| Straight, Left                                                                      |  | 3.93 mm         | 2.38 mm         | 5.58 mm        | EG-838-01                                                                             |
| Straight, Right                                                                     |  | 3.93 mm         | 2.38 mm         | 5.58 mm        | EG-838-02                                                                             |
| Basket Punch, Backward Cutting                                                      |                                                                                     |                 |                 |                |                                                                                       |

# SKILLCUT Arthroscopy Instruments for Hip Joints



## Shape



Straight  
Grasping Forceps, 1x2 Teeth

## LOCK



EG-860-01

## Shape



2.7 mm Straight  
Grasping Forceps, Cupped

## LOCK



EG-862-01

## Shape



3.4 mm Straight  
Grasping Forceps, Cupped

## LOCK



EG-862-02

## Shape



3.4 mm Straight  
Alligator Grasping Forceps

## LOCK



EG-866-01



## SKILLCUT Instruments for the Shoulder



### **Straight**

The primary style for direct approach



### **Up Biter**

Angled up at the Tip



### **Up Swept**

Angled up on the Shaft



### **Curved left and curved right**

Curved on the Shaft Left or Right

### SKILLCUT Classic Handle Instruments



Scissors, basket punches and graspers are equipped with our traditional classic handle.

### SKILLCUT Side-Lock Handle Instruments



All graspers are equipped with this infinite-position locking-handle design.

### SKILLCUT Axial Handle Instruments



Axial handle black available on suture instruments and different colours.

### SKILLCUT Axial Handle w/o ratchet Instruments



Axial handle with ratchet available on suture instruments.

### SKILLCUT Shoulder-Instruments, Suture Hook

For the area of the shoulder, these instruments were specially manufactured. The low-profile and the highly sharpened tip allows easy passage through tissue in order to retrieve or apply suture. Also the instruments for grasping the engagement is facilitated by the shape of the jaw.



**Bird Beak, Suture Hook Forceps**



**Description**

**Working Length**

**Classic Handle**

**Axial Handle w/o ratchet**

**Axial Handle**

Tip Straight, Shaft Straight

155 mm

EG-866-02

EG-866-03

EG-866-04

Tip Straight, Shaft Up Swept 15°

155 mm

EG-866-05

EG-866-06

EG-866-07



**Bird Beak, Suture Hook Forceps**



**Description**

**Working Length**

**Classic Handle**

**Axial Handle w/o ratchet**

**Axial Handle**

Shaft Straight Jaw 45° Angled Left

155 mm

EG-866-08

EG-866-09

EG-866-10

Shaft Straight Jaw 45° Angled Right

155 mm

EG-866-11

EG-866-12

EG-866-13



**Bird Beak, Suture Hook Forceps**



**Description**

**Working Length**

**Classic Handle**

**Axial Handle w/o ratchet**

**Axial Handle**

Shaft Short Jaw 45° Angled Left

155 mm

EG-866-14

EG-866-15

EG-866-16

Shaft Short Jaw 45° Angled Right

155 mm

EG-866-17

EG-866-18

EG-866-19



**Bird Beak, Suture Hook Forceps**



**Description**

**Working Length**

**Classic Handle**

**Axial Handle w/o ratchet**

**Axial Handle**

Shaft Straight, Jaw 20° Up Biter

155 mm

EG-866-20

EG-866-21

EG-866-22

Shaft Straight, Jaw 40° Up Biter

155 mm

EG-866-23

EG-866-24

EG-866-25

## SKILLCUT Shoulder-Instruments, Suture Hook



Clever Hook, Suture Hook



### Description

Shaft Straight, Right

### Working Length

155 mm



### Classic Handle Green

EG-866-26



### Axial Handle

EG-866-27

Clever Hook, Suture Hook



### Description

Shaft Straight, Left

### Working Length

155 mm




### Classic Handle Red

EG-866-28



### Axial Handle

EG-866-29





### SKILLCUT Shoulder-Instruments, Suture Hook



#### Description

Shaft Straight, Right

#### Clever Hook, Suture Hook

#### Working Length

155 mm



#### Classic Handle Green

EG-866-30



#### Axial Handle

EG-866-31



#### Description

Shaft Straight, Left

#### Clever Hook, Suture Hook

#### Working Length

155 mm



#### Classic Handle Red

EG-866-32



#### Axial Handle

EG-866-33



SKILLCUT Shoulder-Instruments, Suture Grasper

Color coding



Description

Shaft Straight

Suture Retriever Grasper, Serrated

Working Length

155 mm



Classic Handle

EG-866-34



Slide-Lock Handle

EG-866-35



Axial Handle with Ratchet

EG-866-36



Description

Shaft Straight, Jaw 45° Angled Left

Shaft Straight, Jaw 45° Angled Right

Suture Retriever Grasper, Serrated

Working Length

155 mm

155 mm



Classic Handle

EG-866-37



Slide-Lock Handle

EG-866-38



Axial Handle with Ratchet

EG-866-39



Description

Shaft Straight, Jaw 15° Up Biter

Suture Retriever Grasper, Serrated

Working Length

155 mm



Classic Handle

EG-866-43



Slide-Lock Handle

EG-866-44



Axial Handle with Ratchet

EG-866-45



### SKILLCUT Shoulder-Instruments, Suture Grasper, Grasping Punch



**King Suture  
Retriever Grasper,  
Cross Serrated**



**Classic  
Handle**  
EG-866-46



**Slide-Lock  
Handle**  
EG-866-47



**Axial Handle  
with Ratchet**  
EG-866-48

**Description**  
Shaft Straight

**Working  
Length**  
155 mm



**Suture Retriever Grasper**



**Description**  
Shaft Straight

**Working  
Length**  
155 mm

**Classic  
Handle**  
EG-866-49

**Slide-Lock  
Handle**  
EG-866-50

**Axial Handle  
with Ratchet**  
EG-866-51



**Tissue Grasping Forceps**



**Description**  
Shaft Straight

**Working  
Length**  
155 mm

**Classic  
Handle**  
EG-866-52

**Slide-Lock  
Handle**  
EG-866-53

**Axial Handle  
with Ratchet**  
EG-866-54



**Grasping Forceps  
Cupped, Serrated**



**Description**  
Shaft Straight, Jaw Wide 3.4 mm

**Working  
Length**  
155 mm

**Classic  
Handle**  
EG-866-55

**Slide-Lock  
Handle**  
EG-866-56

**Axial Handle  
with Ratchet**  
EG-866-57

## SKILLCUT Shoulder-Instruments, Suture Hook



### Description

Shaft Straight

### Hook Scissors

### Working Length

155 mm

### Classic Handle

EG-866-58

## SKILLCUT Shoulder-Instruments, Suture Hook



### Description

Shaft Straight

### Sliding, Suture Hook

### Working Length


155 mm

### Classic Handle

EG-866-59

### SKILLCUT Shoulder-Instruments, Suture Hook

The Suture Cutter is designed to cut suture blindly when visualization of the knot is not possible. It is available in different versions. The closed shape prevents the knot from being cut through. The V-shape allows you to cut sutures in the joint without needing to introduce the suture cutter from above.



**Suture Cutter closed**



**Classic Handle**

EG-866-60



**Handle with positioning**

EG-866-61



**Axial Handle w/o Ratchet**

EG-866-62



**Suture Cutter V-shape**



**Classic Handle**

EG-866-63



**Handle with positioning**

EG-866-64



**Axial Handle w/o Ratchet**

EG-866-65

**Description**

Shaft Straight

**Working Length**

155 mm

**Description**


Shaft Straight

**Working Length**

155 mm



## SKILLCUT Shoulder-Instruments, Suture Hook



### Suture-Tape-Cutter

#### Description

Shaft Straight

#### Working Length

155 mm

#### Classic Handle

EG-866-66



### Suture Manipulator

#### Description

Shaft Straight

#### Working Length

155 mm



#### Classic Handle

EG-866-67



#### Axial Handle w/o Ratchet

EG-866-68





### SKILLCUT Shoulder-Instruments, Suture Hook



#### Description

Shaft Straight

#### Working Handle


155 mm

#### Code

EG-866-69



SKILLCUT Suture Passer, Nitinol Needle



Load Suture



Grasp Tissue



Pass and Retrieve Suture



Remove captured Suture



Suture Passer, slim-line

Description

Opening Middle Front

Working Length

170 mm

Handle w/o Ratchet

EG-866-70

Handle with Ratchet

EG-866-71



Suture Passer, slim-line

Description

Opening Middle Front

Working Length

170 mm

Handle w/o Ratchet

EG-866-72

Handle with Ratchet

EG-866-73



Nitinol Needle, Sterile  
(1pack / 6pcs.)

Description

Blue

Ø

1.5 mm


Working Length

EG-866-74

Code

EG-866-75

## SKILLCUT Instruments for the Hip



### **Straight**

The primary style for direct approach



### **Up Biter**

Angled up at the Tip



### **Up Swept**

Angled up on the Shaft



### **Curved left and curved right**

Curved on the Shaft Left or Right

## SKILLCUT Classic Handle Instruments



Scissors, basket punches and graspers are equipped with our traditional classic handle.

## SKILLCUT Side-Lock Handle Instruments



All graspers are equipped with this infinite-position locking-handle design.

## SKILLCUT Axial Handle Instruments



Available on rotary basket punches and scissors

## SKILLCUT Axial Handle w/o ratchet Instruments



Available on rotary basket punches and scissors

### SKILLCUT Hip Instruments, Punches

This instrument range was specifically designed with the additional challenges of hip arthroscopy in mind. Their extra length and low profile offer excellent access to the hip joint.



#### Hook Punch, small



**Description**  
Shaft Straight



**Tip Profile**  
1.90 mm

**Bite Width**  
1.80 mm

**Tip Width**  
2.89 mm

**Classic Handle**  
EG-866-76



#### Hook Punch, Small, Up Biter



**Description**  
Shaft Straight



**Tip Profile**  
1.90 mm

**Bite Width**  
1.80 mm

**Tip Width**  
2.89 mm

**Classic Handle**  
EG-866-78



#### Basket Punch, Small



**Description**  
Shaft Straight, Jaw 45° Down Biter Left



**Tip Profile**  
1.50 mm

**Bite Width**  
1.80 mm

**Tip Width**  
2.89 mm

**Classic Handle**  
EG-866-79

Shaft Straight, Jaw 45° Down Biter Right



1.50 mm

1.80 mm

2.89 mm

EG-866-80



#### Duckly Punch, Medium



**Description**  
Shaft Straight



**Tip Profile**  
1.93 mm

**Bite Width**  
3.20 mm

**Tip Width**  
5.00 mm

**Classic Handle**  
EG-866-81

Shaft Up Swept




1.93 mm

3.20 mm

5.00 mm

EG-866-82

SKILLCUT Hip-Instruments, Punch, Rongeurs



Ducky Punch, Medium, Up Biter

| Description    | Tip Profile                                                                               | Bite Width | Tip Width | Classic Handle |
|----------------|-------------------------------------------------------------------------------------------|------------|-----------|----------------|
| Shaft Straight |  1.93 mm | 3.20 mm    | 5.00 mm   | EG-866-83      |



Basket Punch Unicorn

| Description              | Tip Profile                                                                                 | Bite Width | Tip Width | Classic Handle |
|--------------------------|---------------------------------------------------------------------------------------------|------------|-----------|----------------|
| Shaft Straight, Left Cut |  3.93 mm | 3.20 mm    | 5.00 mm   | EG-866-84      |
| Shaft Straight, Left Cut |  3.93 mm | 3.20 mm    | 5.00 mm   | EG-866-85      |



Rongeur Raptor

| Description    | Classic Handle |
|----------------|----------------|
| Shaft Straight | EG-866-86      |




Rotary Basket Punch

| Description                                  | Tip Profile                                                                                 | Bite Width | Tip Width | Rotatable Handle | Rotatable Axial Handle |
|----------------------------------------------|---------------------------------------------------------------------------------------------|------------|-----------|------------------|------------------------|
| Shaft Straight, 2.2 mm, Jaw 90° Angled Left  |  1.60 mm | 2.20 mm    | 4.10 mm   | EG-866-87        | EG-866-89              |
| Shaft Straight, 2.2 mm, Jaw 90° Angled Right | 1.60 mm                                                                                     | 2.20 mm    | 4.10 mm   | EG-866-88        | EG-866-90              |



### SKILLCUT Hip-Instruments, Grasping Forceps



**Grasping Forceps 1 x 2 Tooth**

**Description**

Shaft Straight



**Slide-Lock Handle**

EG-866-91



**Grasping Forceps Cupped, Serrated**

**Description**

Shaft Straight, Jaw wide 2.7 mm

Shaft Straight, Jaw wide 3.4 mm



**Slide-Lock Handle**

EG-866-92

EG-866-93



**Grasping Forceps Alligator**

**Description**

Shaft Straight



**Slide-Lock Handle**

EG-866-94



**Hook Scissors**

**Description**

Shaft Straight

**Working Length**


21 mm



**Slide-Lock Handle**

EG-866-95

SKILLCUT Hip-Instruments, Suture-Instruments



Bird Beak, Suture Hook Forceps

| Description                   | Working Length | Classic Handle | Axial Handle w/o ratchet | Axial Handle |
|-------------------------------|----------------|----------------|--------------------------|--------------|
| Shaft Straight, Tip Straight, | 220 mm         | 3.20 mm        | 5.00 mm                  | EG-866-96    |



Suture Manipulator

| Description    | Working Length | Classic Handle | Axial Handle w/o ratchet |
|----------------|----------------|----------------|--------------------------|
| Shaft Straight | 220 mm         | EG-866-97      | EG-866-98                |



Suture Cutter closed

| Description    | Working Length | Classic Handle | Handle with positioning | Axial Handle w/o ratchet |
|----------------|----------------|----------------|-------------------------|--------------------------|
| Shaft Straight | 220 mm         | EG-866-99      | EG-867-01               | EG-867-02                |



Suture Cutter V-shape

| Description    | Working Length | Classic Handle | Handle with positioning | Axial Handle w/o ratchet |
|----------------|----------------|----------------|-------------------------|--------------------------|
| Shaft Straight | 220 mm         | EG-867-03      | EG-867-04               | EG-867-05                |

### SKILLCUT Hip-Instruments, One-Piece Instruments



**Description**  
Shaft Straight

**Knot Pusher, closed**

**Working Length**  
220 mm

**Code**  
EG-867-06



**Description**  
8,5 x 0,5 mm

**Open Cannula**

**Working Length**  
155 mm

**Code**  
EG-867-07



SKILLCUT Hip-Instruments, One-Piece Instruments



| Description                                     | Length | Silicone handle |
|-------------------------------------------------|--------|-----------------|
| Hook Probe pointed, graduated<br>Shaft Straight | 215 mm | EG-867-08       |
| Chondro Pick, Straight                          | 215 mm | EG-867-09       |
| Chondro Pick, Angled Tip 25°                    | 215 mm | EG-867-10       |
| Chondro Pick, Angled Tip 40°                    | 215 mm | EG-867-11       |
| Chondro Pick, Angled Tip 60°                    | 215 mm | EG-867-12       |
| Chondro Pick, Angled Tip 90°                    | 215 mm | EG-867-13       |



| Description                      | Silicone handle |
|----------------------------------|-----------------|
| Spoon 5°, Shaft Straight         | EG-867-14       |
| Ring Curette 10°, Shaft Straight | EG-867-15       |
| Ring Curette 15°, Shaft Straight | EG-867-16       |



|                               |           |
|-------------------------------|-----------|
| Scalpel Knife, Shaft Straight | EG-867-17 |
|-------------------------------|-----------|



|                                         |           |
|-----------------------------------------|-----------|
| Cartilage Rasp Straight, Shaft Straight | EG-867-18 |
|-----------------------------------------|-----------|




|                                    |           |
|------------------------------------|-----------|
| Cartilage Rasp 10°, Shaft Straight | EG-867-19 |
|------------------------------------|-----------|




| Description                         | Silicone handle |
|-------------------------------------|-----------------|
| Mallet for Picks, 35 x 240 mm, Comp | EG-867-20       |

## SKILLCUT

### One-Piece Instruments



#### SKILLCUT Handle



#### Description

Handle for the tips

#### Code

EG-867-21


|                                                                                     | Description                           |        | Tip       |
|-------------------------------------------------------------------------------------|---------------------------------------|--------|-----------|
|  | Hook Probe pointed, Shaft Straight    | -      | EG-867-22 |
|  | Hook Probe, graduated, Shaft Straight | 3,0 mm | EG-867-23 |
|  | Hook Probe, graduated, Shaft Straight | 5,0 mm | EG-867-24 |
|  | Hook Probe, graduated, Shaft Straight | 2.5 mm | EG-867-25 |
|  | Hook Probe, graduated, Shaft Straight | 3.5 mm | EG-867-26 |
|  | Spoon 30°, Shaft Straight             | 3.0 mm | EG-867-27 |
|  | Ring Curette 30°, Shaft Straight      | 3.0 mm | EG-867-28 |
|  | Ring Curette 15°, Shaft Straight      | 5.0 mm | EG-867-29 |
|  | Ring Curette 30°, Shaft Straight      | 7.0 mm | EG-867-30 |

## SKILLCUT Instruments, One-Piece Instruments




|                                                                                     | Description                            |        | Tip       |
|-------------------------------------------------------------------------------------|----------------------------------------|--------|-----------|
|    | Knife 45°, Retrograde, Shaft Straight  | 5.0 mm | EG-867-31 |
|    | Bayonet Knife, Shaft Straight          | -      | EG-867-32 |
|    | Banana Knife, Serrated, Shaft Straight | -      | EG-867-33 |
|    | Banana Knife, Smooth, Shaft Straight   | -      | EG-867-34 |
|    | Scalpel Knife, Shaft Straight          | -      | EG-867-35 |
|    | Knife, Serrated, Shaft Straight        | 3.0 mm | EG-867-36 |
|   | Sickle Knife, Shaft Straight           | -      | EG-867-37 |
|  | Hook Knife 90°, Shaft Straight         | 3.0 mm | EG-867-38 |
|  | Meniscotome Smillie, Shaft Straight    | 3.0 mm | EG-867-39 |
|  | Meniscotome Smillie, Shaft Straight    | 5.0 mm | EG-867-40 |
|  | Meniscotome Smillie, Shaft Straight    | 7.0 mm | EG-867-41 |
|  | Cartilage Rasp, Fine, Shaft Straight   | -      | EG-867-42 |
|  | Cartilage Rasp, Rough, Shaft Straight  | -      | EG-867-43 |

## ARTHROSCOPY PUNCHES





### SKILLCUT Instruments, One-Piece Instruments

|   |                                        |        |  |           |
|-------------------------------------------------------------------------------------|----------------------------------------|--------|--|-----------|
|                                                                                     | Description                            |        |  | Tip       |
|    | Hook Probe Pointed, Shaft Straight     | 4 mm   |  | EG-867-44 |
|    | Hook Probe, Graduated, Shaft Straight  | 3.5 mm |  | EG-867-45 |
|    | Spoon 30°, Shaft Straight              | 3.0 mm |  | EG-867-46 |
|    | Ring Curette 30°, Shaft Straight       | 3.0 mm |  | EG-867-47 |
|    | Banana Knife, Serrated, Shaft Straight | -      |  | EG-867-48 |
|    | Banana Knife, Smooth, Shaft Straight   | -      |  | EG-867-49 |
|    | Scalpel Knife, Shaft Straight          | -      |  | EG-867-50 |
|  | Knife, Serrated, Shaft Straight        | 3.0 mm |  | EG-867-51 |
|  | Sickle Knife, Shaft Straight           | -      |  | EG-867-52 |
|  | Hook Knife 90°, Shaft Straight         | 3.0 mm |  | EG-867-53 |
|  | Knife 45°, Retrograde, Shaft Straight  | 5.0 mm |  | EG-867-54 |
|  | Meniscotome Smillie, Shaft Straight    | 3.0 mm |  | EG-867-55 |
|  | Meniscotome, Shaft Straight            | -      |  | EG-867-56 |
|  | Meniscotome Smillie, Shaft Straight    | 7.0 mm |  | EG-867-57 |
|  | Cartilage Rasp, Fine, Shaft Straight   | -      |  | EG-867-58 |
|  | Cartilage Rasp, Rough, Shaft Straight  | -      |  | EG-867-59 |




# SKILLCUT Hand Instruments



EG-501-00 MODEL A  
EG-511-00 MODEL B  
Hook Probe, Pointed



EG-501-25 MODEL A  
EG-511-25 MODEL B  
Hook Probe, Graduated



EG-501-01 MODEL A  
EG-511-01 MODEL B  
Hook Probe, Graduated



EG-501-26 MODEL A  
EG-511-26 MODEL B  
Hook Probe, Graduated



EG-501-27 MODEL A  
EG-511-27 MODEL B  
Hook Probe, Graduated



EG-501-02 MODEL A  
EG-511-02 MODEL B  
Hook Probe, Graduated



EG-501-03 MODEL A  
EG-511-03 MODEL B  
Scalpel Knife



EG-501-04 MODEL A  
EG-511-04 MODEL B  
Banana Knife, Curved, Smooth



EG-501-05 MODEL A  
EG-511-05 MODEL B  
Banana Knife, Curved, Serrated




EG-501-06 MODEL A  
EG-511-06 MODEL B  
SMILE Meniscotome



EG-501-07 MODEL A  
EG-511-07 MODEL B  
SMILE Meniscotome



EG-501-08 MODEL A  
EG-511-08 MODEL B  
SMILE Meniscotome



EG-501-09 MODEL A  
EG-511-09 MODEL B  
Hook Knife, 90°



EG-501-10 MODEL A  
EG-511-10 MODEL B  
Knife, 45°, Retrograde



EG-501-11 MODEL A  
EG-511-11 MODEL B  
Ring Curette, 30°



EG-501-12 MODEL A  
EG-511-12 MODEL B  
Ring Curette, 30°



EG-501-13 MODEL A  
EG-511-13 MODEL B  
Hook



EG-501-14 MODEL A  
EG-511-14 MODEL B  
Bayonet Knife



EG-501-15 MODEL A  
EG-511-15 MODEL B  
Rosette Knife, Serrated



EG-501-16 MODEL A  
EG-511-16 MODEL B  
Rosette Knife, Serrated 30° Left

### SKILLCUT Hand Instruments



EG-501-17 MODEL A

EG-511-17 MODEL B

Rosette Knife, Serrated, 30° Right



EG-501-18 MODEL A

EG-511-18 MODEL B

Spoon, 30°



EG-501-19 MODEL A

EG-511-19 MODEL B

Cartilage Rasp, Fine



EG-501-20 MODEL A

EG-511-20 MODEL B

Cartilage Rasp, Coarse



EG-501-23 MODEL A

Rasp, 15°



EG-501-24 MODEL A

Rasp, Straight




MODEL B



MODEL A


SKILLCUT Arthroscopy Container for 10 Instruments - FF-9800-00




# ARTHROSCOPY PUNCHES





**SKILLCUT Arthroscopy Container for 12 Instruments - FF-9800-01**



**SKILLCUT Arthroscopy Container for 12 Instruments - FF-9800-01**



## SKILLCUT Arthroscopy Shaft Replacements



The primary style for direct approach.

Angled 1/4 curve at tip for increased access to the posterior meniscus.

Angled shaft follows the contour of the condyle and keeps the cutting surface parallel to the tibial plateau.

Angled to reach the anterior and posterior meniscus.

## Duckbill



| Description    |  | Bite Width | Tip Width | Acufex Ref# | Code      |
|----------------|--|------------|-----------|-------------|-----------|
| Up Swept       |  | 3.17 mm    | 5.05 mm   | 012000      | SK-012000 |
| Straight       |  | 3.17 mm    | 5.05 mm   | 012013      | SK-012013 |
| Up Biter       |  | 3.17 mm    | 5.05 mm   | 012014      | SK-012014 |
| Up Biter Left  |  | 3.17 mm    | 5.05 mm   | 012015      | SK-012015 |
| Up Biter Right |  | 3.17 mm    | 5.05 mm   | 012016      | SK-012016 |

## Alligator



| Description |  | Bite Width | Tip Width | Acufex Ref# | Code      |
|-------------|--|------------|-----------|-------------|-----------|
| Straight    |  |            | 3.05 mm   | 011020      | SK-011020 |
| Straight    |  |            | 3.45 mm   | 011024      | SK-011024 |


## Backbiter



| Description |  | Bite Width | Tip Width | Acufex Ref# | Code     |
|-------------|--|------------|-----------|-------------|----------|
| Right       |  | 2.38 mm    | 5.58 mm   | 012058      | SK-01258 |
| Left        |  | 2.38 mm    | 5.58 mm   | 012059      | SK-01259 |




### SKILLCUT Arthroscopy Shaft Replacements




#### Scoop



| Description           |                                                                                     | Bite Width | Tip Width | Acufex Ref# | Code      |
|-----------------------|-------------------------------------------------------------------------------------|------------|-----------|-------------|-----------|
| Straight              |    | 1.77 mm    | 3.76 mm   | 012011      | SK-012011 |
| Straight              |    | 2.03 mm    | 3.76 mm   | 012012      | SK-012012 |
| Up Biter              |   | 1.59 mm    | 3.88 mm   | 012020      | SK-012020 |
| Straight              |  | 1.59 mm    | 3.25 mm   | 012029      | SK-012029 |
| Up Biter              |  | 1.59 mm    | 3.27 mm   | 012030      | SK-012030 |
| Up Swept              |  | 1.59 mm    | 3.27 mm   | 012031      | SK-012031 |
| Down Biter            |  | 1.59 mm    | 3.27 mm   | 012033      | SK-012033 |
| Straight              |  | 1.59 mm    | 3.27 mm   | 012034      | SK-012034 |
| Curved Left           |  | 1.59 mm    | 3.27 mm   | 012040      | SK-012040 |
| Curved Right          |  | 1.59 mm    | 3.27 mm   | 012041      | SK-012041 |
| Up Biter Curved Left  |  | 1.59 mm    | 3.27 mm   | 012042      | SK-012042 |
| Up Biter Curved Right |  | 1.59 mm    | 3.27 mm   | 012043      | SK-012043 |



## SKILLCUT Arthroscopy Shaft Replacements



## Duckling



| Description  |  | Bite Width | Tip Width | Acufex Ref# | Code      |
|--------------|--|------------|-----------|-------------|-----------|
| Straight     |  | 3.17 mm    | 5.00 mm   | 012044      | SK-012044 |
| Up Biter     |  | 3.17 mm    | 5.00 mm   | 012045      | SK-012045 |
| Curved Left  |  | 3.17 mm    | 5.00 mm   | 012046      | SK-012046 |
| Curved Right |  | 3.17 mm    | 5.00 mm   | 012047      | SK-012047 |
| Up Swept     |  | 3.17 mm    | 5.00 mm   | 012048      | SK-012048 |

## Oval Punch




| Description  |  | Bite Width | Tip Width | Acufex Ref# | Code      |
|--------------|--|------------|-----------|-------------|-----------|
| Up Biter     |  | 4.39 mm    | 6.57 mm   | 7207200     | SK-012044 |
| Straight     |  | 4.39 mm    | 6.57 mm   | 7207201     | SK-012041 |
| Curved Left  |  | 4.39 mm    | 6.57 mm   | 7207294     | SK-012094 |
| Curved Right |  | 4.39 mm    | 6.57 mm   | 7207295     | SK-012095 |
| Up Swept     |  | 4.39 mm    | 6.57 mm   | 7207296     | SK-012044 |

## Pitbull



| Description          | Bite Width | Tip Width | Acufex Ref#    | Code       |
|----------------------|------------|-----------|----------------|------------|
| Straight             |            |           | 011022         | SK-011022  |
| Straight             |            |           | 011022         | SK-011022  |
| Straight Jr. - Long  |            |           | 014845 - Long  | SK-0148451 |
| Straight Jr. - Short |            |           | 014845 - Short | SK-014845  |

### SKILLCUT Arthroscopy Shaft Replacements



#### Scissors Punches



| Description  |                                                                                    | Bite Width | Tip Width | Acufex Ref# | Code      |
|--------------|------------------------------------------------------------------------------------|------------|-----------|-------------|-----------|
| Straight     |   |            |           | 012036      | SK-012036 |
| Up Biter     |   |            |           | 012037      | SK-012037 |
| Curved Left  |   |            |           | 012038      | SK-012038 |
| Curved Right |  |            |           | 012039      | SK-012039 |

#### Posterior Punches




| Description  |                                                                                     | Bite Width | Tip Width | Acufex Ref# | Code      |
|--------------|-------------------------------------------------------------------------------------|------------|-----------|-------------|-----------|
| Up Biter     |  | 2.18 mm    | 4.00 mm   | 012201      | SK-012201 |
| Up Swept     |  | 2.18 mm    | 4.00 mm   | 012202      | SK-012202 |
| Straight     |  | 2.18 mm    | 4.00 mm   | 012203      | SK-012203 |
| Curved Left  |  | 2.18 mm    | 4.00 mm   | 012204      | SK-012204 |
| Curved Right |  | 2.18 mm    | 4.00 mm   | 012205      | SK-012205 |

#### Grasping Forceps



| Description | Bite Width | Tip Width | Acufex Ref# | Code      |
|-------------|------------|-----------|-------------|-----------|
| Raptor Jr.  |            |           | 014843      | SK-014843 |
| Raptor      |            |           | 014720      | SK-014720 |

## SKILLCUT Arthroscopy Shaft Replacements

Basket Punches  
Narrow Line

| Description  |  | Bite Width | Tip Width | Acufex Ref# | Code      |
|--------------|--|------------|-----------|-------------|-----------|
| Up Biter     |  | 1.67 mm    | 2.89 mm   | 012051      | SK-012051 |
| Straight     |  | 1.67 mm    | 2.89 mm   | 012052      | SK-012052 |
| Curved Left  |  | 1.67 mm    | 2.89 mm   | 012053      | SK-012053 |
| Curved Right |  | 1.67 mm    | 2.89 mm   | 012054      | SK-012054 |
| Up Swept     |  | 1.67 mm    | 2.89 mm   | 012055      | SK-012055 |

Basket Punches  
Meniscal Elevator

| Description |  | Bite Width | Tip Width | Acufex Ref# | Code      |
|-------------|--|------------|-----------|-------------|-----------|
| Straight    |  | 2.38 mm    | 5.58 mm   | 012060      | SK-012060 |
| Up Biter    |  | 2.38 mm    | 5.58 mm   | 012061      | SK-012061 |

Basket Punches  
Blunt Nose

| Description |  | Bite Width | Tip Width | Acufex Ref# | Code      |
|-------------|--|------------|-----------|-------------|-----------|
| Straight    |  | 1.67 mm    | 3.32 mm   | 012035      | SK-012035 |


## Tissue Tensioner



| Description |  | Bite Width | Tip Width | Acufex Ref# | Code      |
|-------------|--|------------|-----------|-------------|-----------|
| Straight    |  |            |           | 011030      | SK-011030 |







**Authorised Dealer / Agent**

**[www.skillinstruments.co.za](http://www.skillinstruments.co.za)**

**SKILL® Surgical Instruments  
Rottweiler Street 53  
D-78669 Wellendingen  
Germany**